

CABLE PULLER

Model: *H-2500*

PN:487265 220V/50Hz \ 486122 230V/50Hz \ 489635 110V/50Hz 483636 240V/50Hz \ 483958 240V/50Hz \ 482316 220V/60Hz 487655 110V/50Hz

Introduction

▶ Feature

Drum type		Large Drum	Small Drum
Pulling capacity kg		1,500	2,500
Rope speed m / min	50 Hz	4.0	2.5
	60 Hz	5.0	3.0
Gear train		hypoid gear plus spur gears	
Gear ratio		154:1	
Motor rating IP44, kw x p		0.6 x 4	
Drum dimension mm	width	124	104
	drum dia.	110	74
	flange dia.	166	94
Percentage Duty Cycle		25% ED	

▶ Unpacking

· Rope arm	1pc
Base plate, except for PN:489635	1pc
• Wire rope 8 mm x 50 m, except for PN:489635 483958	1pc
Detachable rope storage roller	1pc
 Foot control kit with 2.0 mm² x 3C x 2 m lead 	1pc
· Power lead 1.5 mm ² x 3C x 3 m and plug	1pc

► Read this manual carefully

You should carefully read and understand this manual before operating it. Careless winch operation may result in personal injury hazards or property damage.

· Serial number

► Information requesting or parts ordering

Please specify the followings information:


· Winch PN

· Part description · Replacement part number


· Quantity for each part

Installation

- 1. Install this machine on the ground horizontally.
- 2. Confirm that the machine voltage complies with the power source.
- 3. Connect the power cord with the power source, set the over load protection switch in to the "RESET" position.
- 4. Press the "Foot Control" down, the drum rotates in a clockwise direction and make sure there is no noisy sound level or malfunction.
- 5. Release the "Foot Control" to have an emergency stop. The brake performs inter locked and motor has instantly hold the load while power failure.



▶ Wiring Diagram



Warning

- The cable puller is not intended to be used in any manner for the movement or lifting of personnel
- · The rated capacity shown is based on the first layer of rope on the drum
- $\boldsymbol{\cdot}$ The rope winding on the drum shall remain 5 wraps from the drum

Parts List

Ref No.	Description	Part Number	Qty
1	Drum A kit	880873	1
2	Motor kit, 110V/220V, 60Hz	880896	1
	Motor kit, 110V/220V/230V, 50Hz	880897	1
	Motor kit, 120V/240V, 50Hz	880898	1
3	2 nd shaft	880874	1
4	1 st gear	880875	1
5	3 rd shaft	880876	1
6	2 nd gear	880877	1
7	4 th gear	880878	1
8	Output shaft	880879	1
9	4 th shaft	880880	1
10	3 rd gear	880881	1
11	Gearbox cover kit	880882	1
12	Drum B kit	880883	1
13	Base plate kit	880884	1
14	Sheave guider kit	880885	1
15	Divertor kit	880886	1
16	Drum bracket	880887	1
17	Foot pad	880888	1
18	Rope wheel kit	880889	1
19	Pulley block	880890	1
20	Fix shaft	880891	1
21	Wing nut kit	880892	1
22	Wire rope	880893	1
23	Terminal box kit, 110V, 50Hz	880899	1
	Terminal box kit, 220V/230V, 50/60Hz	880901	1
	Terminal box kit, 240V, 50Hz	880902	1
24	Foot control kit	880894	1
25	Power lead, 3 flat pins plug	880904	1
	Power lead, 3 round pins plug	880905	1

Winch Assembly

